

TOSHIBA

e-STUDIO™ 3015AC

e-STUDIO™ 3515AC

e-STUDIO™ 5015AC

- > Colour Multifunction Printer
- > Up to 50 PPM
- > Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



**TOGETHER
INFORMATION**

CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > 30, 35 & 50 PPM
- > High-resolution colour
- > High-volume black & white, and colour
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.

Toshiba's latest e-BRIDGE Next controller delivers exceptional color quality.

Don't restrict yourself to black and white when you can print with eye-catching colour. It's Toshiba's sophisticated colour system with high resolution for top-notch image quality.

- > Up to 3,600 (Equivalence) dpi x 1,200 dpi (BW/with Smoothing) (PostScript 3)
- > 256 gradations for smooth transitions in photographs and illustrations
- > Auto-calibration and user calibration ensure consistency of colour across small and large print jobs

Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- > Customise and automate workflow specifically around your business processes
- > Boost productivity by reducing manual and paper intensive processes in the office
- > Personalise the user interface by department or individually to deliver the utmost efficiency
- > Cost savings and greater efficiency through improved workflow and productivity



SMALL FOOTPRINT, BIG BUSINESS.

Even with a relatively small footprint, the e-STUDIO5015AC Series is packed with industry-leading technologies and innovations designed to help workgroups connect, integrate and simplify.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

Dual-Scan Document Feeder holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

Auto Skew Correction ensures your scanned documents, using one of the document feeder options are reproduced accurately.

e-Suite allows you to track and control copy, fax and scan jobs, and perform secure print release at Toshiba MFP.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs – now with support of up to 50 e-BRIDGE devices.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around any being held-up for a specific paper size, media type or, even colour toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs or editable document formats such as Microsoft® Word™.

Exclusive Water Proof Paper water and tear resistant media up to 12" x 47" banner size.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

12" x 18" Cassette provides the ability to print stunning 11" x 17" full-bleed colour on 12" x 18" paper.

Service Module Design significantly reduces the cost and time spent servicing the MFP.

Print-from USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale documents to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.



TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5015AC Series is easily integrated, customisable and solutions ready with Toshiba's Open Platform.

Complex tasks of the past are now a simple one touch button on your e-STUDIO control panel, thanks to Toshiba's seamless integration with third-party solutions and the use of embedded web browser technology.

Toshiba's exclusive e-BRIDGE Print & Capture application enables mobile device users to take advantage of the broad feature set of the e-STUDIO whether they're in the office or on the go.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

The Universal Print Driver is suitable for all users. Tandem print comes standard with your e-STUDIO, along with a variety of time-saving, function-adding plug-ins that enable productivity right in the printer driver. For instance:

- > e-BRIDGE Job Point—quickly split up large jobs across up to 10 Toshiba MFPs
- > e-BRIDGE Job Replicator—streamline the creation of multi-part forms and documents
- > e-BRIDGE Job Separator—perform batch printing easily using any Windows® app
- > e-BRIDGE Job Build—conveniently print different document types all together as a single job

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO5015AC Series MFP. e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.*

Embedded Applications for Office365®** lets users scan to and print from their Office365® directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word™, Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into these popular Office™ formats as well.*

*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

**Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

Tight Security

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > IPsec is available to securely encrypt data sent to and from the MFP

Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too
- > e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use



FEATURES, BENEFITS, AND THE WOW FACTOR.

1 Document Feeder Options

- MR-4000-B Dual-Scan Document Feeder (DSDF)
- MR-3031-B Reversing Automatic Document Feeder (RADF)
- KA-5005PC Platen Cover

2 Accessory Tray & Options

- GR-1330 Accessory Tray
- GR-1340 10-Key Numeric Keypad

3 Finishing Options

- MJ-1042-B 50-Sheet Inner Finisher
- MJ-1109-B 50-Sheet Console Finisher
- MJ-1110-B 50-Sheet Saddle-Stitch Finisher
- MJ-5015 Job Separator

4 Additional Paper Options

- KD-1058-B Paper Feed Pedestal
- MY-1048-B Additional Drawer Module for PFP
- KD-1059A4-B 2,000-Sheet Large Capacity Feeder
- MY-1049-B Envelope Cassette



Additional Option Highlights

- > e-Suite Print Management & Reporting Module
- > Multi-Station Print Enabler
- > Embedded OCR Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Card Reader

The Toshiba e-STUDIO5015AC Series can increase the efficiency of your workgroups, improve the professionalism of your presentations, and streamline the workflow of your organization. And, that's just for starters.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

e-Suite

Toshiba e-Suite provides a user friendly embedded user interface for secure print release, copy, scan, fax and card registration to all individual users. The users are able to view their individual quota balance of black/white and colour prints so as to help them carry out their print activity more effectively.

Its powerful device management feature enables the administrator to discover Toshiba MFPs in the network and configuring/adding to managed device list at ease.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler, now with support of up to 50 e-STUDIO devices, allows users to send print jobs from their desktop and retrieve them by simply swiping their card and authenticating at any convenient MFP.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

e-STUDIO™ 3015AC/3515AC/5015AC

Main Specifications

Copy System	Indirect Electrostatic Photographic Method/OPC/LED Printing/ Heat Roller Fusing
Display	10.1" Colour WSVGA Touch Screen Tilting Display
Copy Speed	30/35/50 PPM (A4)
First Copy Out	Colour: 7.8/5.7 seconds Monochrome: 5.9/4.4 seconds
Warm-Up Time	Approx. 20 Seconds
Copy Resolution	600 x 600 dpi
Stack Feed Bypass	100 x 148 mm to 320 x 460 mm, 305 x 1200 mm Banner, Envelope
Multiple Copying	Up to 999 Copies
Paper Capacity	Standard 1,200 Sheets/Max. 3,200 Sheets
Original Feed	Optional 300-Sheet DSD/ or 100-Sheet RADF
Scan Speed & Weights	DSD/ Scan: Up to 240 IPM Duplex, 120 IPM Simplex, Simplex: 35 - 209 gsm, Duplex: 35 - 209 gsm RADF Scan: Up to 73 IPM, Simplex: 35 - 157 gsm, Duplex: 50 - 157 gsm
Max. Original Size	A3
Paper Feed Sizes	Drawer 1: 550 Sheets-A5-R to A3 Drawer 2: 550 Sheets- A5-R to 320 x 460 mm Stack Feed Bypass: 100 Sheets- 100 x 148 mm to 320 x 460 mm, 305 x 1,200 mm Banner Opt. 550-Sheet Paper Feed Pedestal- A5-R to 320 x 460 mm Opt. 550-Sheet Drawer for PFP- A5-R to 320 x 460 mm Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-16K-R to A4-R Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-A4 Only Standard: 550 Sheets x 2- 60 - 256 gsm Stack Feed Bypass: 100 Sheets- 52 - 280 gsm Opt. 550-Sheet Paper Feed Pedestal- 60 - 256 gsm Opt. 550 Sheets Drawer for PFP- 60 - 256 gsm Opt. Envelope Cassette for PFP- 60 - 256 gsm Opt. 2,000-Sheet Tandem LCF (Pedestal Type)- 64 - 105 gsm Standard Automatic Duplex Unit (60 - 256 gsm)
Paper Weights	Standard: 550 Sheets x 2- 60 - 256 gsm Stack Feed Bypass: 100 Sheets- 52 - 280 gsm Opt. 550-Sheet Paper Feed Pedestal- 60 - 256 gsm Opt. 550 Sheets Drawer for PFP- 60 - 256 gsm Opt. Envelope Cassette for PFP- 60 - 256 gsm Opt. 2,000-Sheet Tandem LCF (Pedestal Type)- 64 - 105 gsm Standard Automatic Duplex Unit (60 - 256 gsm)
Duplex	Standard Automatic Duplex Unit (60 - 256 gsm)
Reproduction Ratio	25% to 400%
Max Duty Cycle	Max. 90K/105K/105K Month (Colour: 100%) Max. 180K/210K/210K Month (Monochrome: 100%) Approx. 78.1 kg
Weight	Approx. 78.1 kg
Approx. Dimensions	585mm (W) x 641mm (D) x 787 mm (H)
CMYK Toner Yield	CMY: 33.6K, K: 38.4K @ 5%
Power Source	220-240 Volts, 50/60 Hz, 12 Amps
Power Consumption	Maximum 2.0kW (220-240V)
CPU	Intel Atom™ 1.33 GHz (Dual-Core)
Memory	4GB
Hard Disk Drive	320GB Self-Encrypting Drive

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	30/35/50 Pages Per Minute (A4)
Print Resolution	600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Colour/2 bit) 3,600(Equivalence) x 1,200 dpi(BW/with Smoothing) (PS3)
Operating Systems	Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8,1,10, Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (MacOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh Environments
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional IEEE802.11b/g/n, Optional Bluetooth
Wireless Device	AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)
Device Management	TopAccess, e-Suite
Account Control	Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Security Features	User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job

Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication, NFC Authentication
*Conformance with HCD-PPv1.0 in High security mode.
ENERGY STAR® (V2.0), Blue Angel Mark (RAL-UZ-205, MFD), Nordic Swan, RoHS WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

Environmental Stds. Certification

Scan Specifications

Scan Speed	DSD/ Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) RADF Scan: Up to 73 IPM (Monochrome or Colour)
Scan Modes	Standard: Full Colour, Auto Colour, Monochrome, Grayscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
Image Compression	Colour/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications


Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document

Accessories (Options)

Platen & Document Feeder Options			
DSD/	MR-4000-B	Panel 10-Key Option	GR-1340
RADF	MR-3031-B	Card Reader Holder	GR-1320
Platen Cover	KA-5005PC	USB Hub	GR-1310
		Meta Scan Enabler	GS-1010
		IPsec Enabler	GP-1080
		Unicode Font Enabler	GS-1007
Additional Paper Options		Embedded OCR Enabler	
Paper Feed Pedestal	KD-1058-B	Single License	GS-1080
Drawer Module	MY-1048-B	Five Licenses	GS-1085
Envelope Cassette Option	MY-1049-B	Multi-Station Print Enabler	
Large Capacity Feeder	KD-1059A4-B	Single License	GS-1090
		Five Licenses	GS-1095
Finishing Options		Data OverWrite Enabler	GP-1070
Inner Finisher	MJ-1042-B	Hardcopy Security Printing	GP-1190A
50-Sheet Staple Finisher	MJ-1109-B		
Saddle-Stitch Finisher	MJ-1110-B	Miscellaneous Options	
Hole Punch Unit for MJ1042	MJ-6011	Stand	MH-5005
Hole Punch Unit for MJ1109/MJ1110	MJ-6105	Accessible Arm	KK-2560
Bridge Kit	KN-5005	Work Tray	KK-5005
Job Separator	MJ-5015	Manual Pocket	KK-5008
		Harness Kit for Coin Controller	GQ-1280
Connectivity/Security Options			
FAX Unit/2nd Line for FAX Unit	GD-1370EU		
Wireless LAN/Bluetooth	GN-4020		
Hardcopy Security Printing	GP-1190A		
Accessory Tray	GR-1330		



Toshiba TEC Singapore Pte Ltd

2 Ang Mo Kio Street 62
Singapore 569138
Tel : (65) 6481 9488
Fax : (65) 6481 2385

Distributed by



Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m2 if not otherwise mentioned.

Copyright ©2018 TOSHIBA TEC.

R180511V1400-TTEC

TSE Version 3.0